



1/14

FIG.1




2/14

FIG.2




3/14

FIG.3




4/14

FIG.4



5/14

FIG.5



6/14

FIG.6A

PERFORMANCE INDEX





FIG.6B

NUMBER OF LOCAL INTERACTIONS



7/14

FIG.7

MEMBER	ALGORITHM	N	n_e	Nn_e	COORDI- NATION	TOTAL/ STEP	REAL-TIME
FISH	A2	6	6	36	8KFLOPS	16KFLOPS	YES
AIRCRAFT	A2	6	11	66	14.6KFLOPS	23KFLOPS	YES
BEE	A1	50	4	20	17MFLOPS	16.8MFLOPS	RESTRICTIVE
BEE	A1	100	4	400	67MFLOPS	68MFLOPS	NO

8/14

FIG.8





FIG. 8 is a photograph of a seed or fruit resting on a surface with a repeating hexagonal pattern.

9/14

FIG.9



10/14

FIG.10A

OPTIMAL COST (SEMILOG SCALE)




FIG.10B

ROLE ASSIGNMENTS

Plane 1	———	-----
Plane 2	-----	-----
Plane 3	-----	-----
Plane 4	———	-----
Plane 5	-----	-----
Plane 6	-----	-----

11/14

FIG.11A






FIG.11B




12/14

FIG. 12



13/14

FIG.13



14/14

FIG. 14

